



Nepal datasafe 12hx540

Featuring Valve Regulated Lead Acid (VRLA) technology, DataSafe® HX batteries offer superior solutions for a range of Uninterruptible Power Supply (UPS) and IT applications. The batteries combine several select design features to maximize reliability and service life while ensuring high power, low maintenance performance.

The DataSafe HX 12HX540 is the most powerful model in EnerSys® HX line of UPS batteries. It exhibits minimal gas evolution makes it a popular choice for low-ventilation, high-rate applications and vital systems. This battery meets UL ...

12HX540-FR DATASAFE Valve-Regulated Lead Acid Battery. Image is for illustrative purposes only. Please refer to product description. Manufacturer ENERSYS. Manufacturer Part No 12HX540-FR. Newark Part No. 05W5239. Add to compare . Add to compare . 20 In Stock. Need more? Same day shipping.

The DataSafe ® HX top terminal ... 12HX540-FR 12 123 540 13.3 338 6.8 173 10.7 272 106.0 48.1 4775 2.6 1 D 1.70 6.44 18.41 8.35 2 AM-HX-RS AA March 2018. Battery Range Summary Constant Power Discharge (Watts per Cell) to 1.75Vpc at 77°F (25°C) Constant Power Discharge (Watts per Cell) to 1.70Vpc at 77°F (25°C) ...

ENERSYS DATASAFE® 12HX540-FR BATTERIES. Power Storage Solutions is a premier platinum stocking Distributor for the Datasafe 12HX540 batteries. We maintain the batteries in a climate controlled environment, then charge and test each unit prior to shipment.

ENERSYS DATASAFE® 12HX540-FR BATTERIES. Power Storage Solutions is a premier platinum stocking Distributor for the Datasafe 12HX540 batteries. We maintain the batteries in a climate controlled ...

12HX540 10.0 5.0 16HX550F 12.0 6.0 16HX800F 20.0 10.0 16HX925F 23.0 11.5 DataSafe® HX Maximum charging Max recommended rms Battery current (A) value of the alternating Type component (A) Table 1 State of charge Voltage 100% 2.12 to 2.14 V/Cell 80% 2.09 to 2.11 V/Cell 60% 2.05 to 2.08 V/Cell 40% 2.01 to 2.04 V/Cell 20% 1.97 to 2.00 V/Cell Table 2

12HX540-FR Components from ENERSYS In Stock, Order Now! 2-Year Warranty - DATASAFE, VALVE-REGULATED, LEAD ACID BATTERY,12V,540W, NON-SPILLABLE +1 (800) 884-5500 Live Chat. Same Day Shipping & Rush Processing Available +1 (800) 884-5500 Experts Available 24/7 365.

EnerSys Delaware Inc. ("EnerSys") warrants its DataSafe® 12HX205-12HX540, 16HX, 12HX680 Valve Regulated Lead Acid (VRLA) UPS float service batteries, racks and cabinets against defective materials

and workmanship for the full period as defined

The DataSafe[®] HX top terminal battery range of Valve Regulated Lead Acid (VRLA) batteries has been designed to offer superior solutions for the Information Technology (IT) and Uninterruptible Power Supply (UPS) markets. DataSafe HX top terminal batteries are the ideal source of power to protect vital systems.

ENERSYS DATASAFE[®] 12HX540-FR BATTERIES. Power Storage Solutions is a premier platinum stocking Distributor for the Datasafe 12HX540 batteries. We maintain the batteries in a climate controlled environment, then charge and test each unit prior to shipment. The DataSafe[®] HX top terminal battery range of Valve Regulated Lead Acid (VRLA) ...

Storage time: DataSafe HX top terminated batteries can be stored for up to 6 months at 77[°]F (25[°]C) before a freshening charge is required. At higher temperatures this time interval will be ...

The DataSafe HX 12HX540 is the most powerful model in EnerSys[®] HX line of UPS batteries. It exhibits minimal gas evolution makes it a popular choice for low-ventilation, high-rate applications and vital systems. This battery meets UL safety standards and is approved by the International Air Transport Authority (IATA).

122[°]F (50[°]C) 12HX205-FR - 12HX540-FR: -22[°]F (-30[°]C) to 122[°]F (50[°]C) Float charging voltage 2.25-2.28 Volts per cell at 77[°]F (25[°]C) DataSafe[®] HX top terminal batteries can be safely recharged at high current rates. DataSafe HX top terminal batteries can be stored for up to six months at 77[°]F (25[°]C) before a freshening charge is ...

Original EnerSys Datasafe 12HX540 Flame-retardant battery. This is a high-rate valve regulated AGM battery designed specifically for UPS (uninterruptable power supply). It has a 10 year design life. Flame retardant case and cover to meet ...

DataSafe HX batteries" design maximizes reliability while ensuring superior performance and an excellent service life. Skip to content. 1.800.876.9373. Company Information. Search Search. Services. UPS and Data Center Services. ... DataSafe 12HX540-FR. EnerSys DataSafe 12HX540 batteries deliver superior performance, occupying less space than ...

Web: <https://foton-zonnepanelen.nl>

